

Supplier's name or trade mark: INDESIT

Supplier's address: BEKO EUROPE MANAGEMENT S.R.L., VIA VARESINA, 204 20156 MILANO ITALY

Model identifier: INKS 8261 W4E

Type of refrigerating appliance:

Low-noise appliance:	No	Design type:	Free-standing
Wine storage appliance:	No	Other refrigerating appliance:	Yes

General product parameters:

Parameter		Value	Parameter	Value
Overall dimensions (millimetre)	Height	1770	Total volume (dm ³ or l)	262
	Width	540		
	Depth	550		
EEI		100	Energy efficiency class	E
Airborne acoustical noise emissions (dB(A) re 1 pW)		39	Airborne acoustical noise emission class	C
Annual energy consumption (kWh/a)		215	Climate class:	temperate/subtropical
Minimum ambient temperature (EU) 2017/1369		38	Maximum ambient temperature (EU) 2017/1369	38
Winter setting		No		

Compartments Parameters:

Compartment type		Compartment parameters and values			
		Compartment Volume (dm ³ or l)	Recommended temperature setting for optimised food storage (°C). These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24 h)	Defrosting type (autodefrost = A, manual defrost = M)
Pantry	Yes	-	+17	-	-
Wine storage	Yes	-	+12	-	-
Cellar	Yes	-	+12	-	-
Fresh Food	Yes	187,0	+5	-	M
Chill	Yes	-	0	-	-
0-Star or Ice-Making	Yes	-	0	-	-
1-Star	Yes	-	-6	-	-
2-Star	Yes	-	-12	-	-
3-Star	Yes	-	-18	-	-
4-Star	Yes	75,0	-18	3,4	M
2-Star Section	Yes	-	-12	-	-

For 4-star compartments

Fast freeze facility	No
----------------------	----

For wine storage appliances

Number of standard wine bottles	-
---------------------------------	---

Light source parameters :

Minimum duration of the guarantee offered by the manufacturer: 24 months

Additional information: The years of guarantees may be different according to other national legislation. Exceptions: Ireland, United Kingdom: 12 months; Spain, Portugal: 36 months; Norway: 60 months

Weblink to the supplier’s website, where the information in point 4 of Annex II to Commission Regulation (EU) 2019/2019 is found: <https://docs.indesit.eu>
